



Material: M2, M3



| Type | Dimension(mm) | | | | | | |
|-------|---------------|-----------|------------------|-----------|-----------|-------------------|----------|
| | A | B | C | D | E | F | G |
| EFD15 | 15.0±0.4 | 7.5±0.15 | 4.65±0.15 | 5.3±0.15 | 11.0±0.35 | 5.5±0.25 | 2.4±0.1 |
| EFD17 | 16.55±0.25 | 19.4±0.25 | 4.45±0.10 | 5.80±0.20 | 11.4min | 16.45(+0.2/-0.15) | 28.0±0.1 |
| EFD20 | 20.0±0.55 | 10.0±0.25 | 6.65(+0.2/-0.15) | 8.9±0.2 | 15.4±0.5 | 7.7±0.25 | 3.6±0.2 |
| EFD25 | 25.0±0.65 | 12.5±0.25 | 9.1±0.2 | 11.4±0.2 | 18.7±0.6 | 9.3±0.25 | 5.2±0.25 |
| EFD30 | 30.0±0.8 | 15.0±.25 | 9.1±0.3 | 14.6±0.3 | 22.4±0.75 | 11.2±0.3 | 4.9±0.15 |

| Type | Effective Parameter | | | | AL(nH/N ²) | | Weight (g) |
|-------|------------------------|---------|-----------------------|-----------------------|------------------------|-----------|------------|
| | C1 (mm ⁻¹) | Le (mm) | Ae (mm ²) | Ve (mm ³) | M2 (±25%) | M3 (±25%) | |
| EFD15 | 2.27 | 34 | 15 | 510 | | 780 | 2.74 |
| EFD17 | 4.18 | 78.03 | 18.67 | 1456.82 | | 678 | 8 |
| EFD20 | 1.59 | 45.49 | 28.5 | 1296.4 | | 1200 | 6.88 |
| EFD25 | 1.03 | 55.81 | 53.92 | 3009.2 | 2200 | 2000 | 16.32 |
| EFD30 | 0.985 | 68.0 | 69.0 | 4700 | 2050 | 2050 | 24 |